

BIG BUSINESS FEATURES

SMALL BUSINESS CONVENIENCE



Colour Wireless Laser Printer

HL-L8260CDW



PRINT



WIRELESS

Colour Wireless Laser Printer

The colour laser HL-L8260CDW, is designed to be robust and comes with a host of security and mobile printing features.

HL-L8260CDW



Key Features:

- Fast print speeds of up to 31 ppm colour and monochrome
- Paper input of up to 300 sheets
- Maximum paper input of up to 1,050 sheets
- Automatic 2-sided (duplex) printing
- Optional high-yield replacement cartridges: 4,500 BK, 4,000 page C / M / Y
- Built-in Gigabit Ethernet 10Base-T/100Base-TX/1000Base-T

Increase productivity levels

- Productivity is increased significantly thanks to the fast print speeds of up to 31 ppm in colour and monochrome.
- Maximise your efficiency with built-in wireless IEEE 802.11b/g/n and Gigabit Ethernet 10Base-T/100Base-TX/1000Base-T.
- Easily print from your mobile device, using Brother's iPrint&Scan, Brother print service plugin for Android, Mopria and AirPrint.

Meet your IT challenges

- Modern businesses demand the highest levels of security. With Secure Function Lock 3.0, IPsec, 802.1x and Secure Print, you can be confident that your documents are safe.
- Create custom IT solutions with open Interface platform BSI (Brother Solutions Interface).
- Manage your print fleet with free printer management software BRAdmin Professional 4.

Flexible and low running costs

- Designed for flexible printing requirements, the HL-L8260CDW includes an inbox black 3,000 page toner, and cyan, magenta and yellow 1,800 page toner, and can take an optional high-yield 4,500 page black and 4,000 page cyan, magenta and yellow page toners to lower your running costs even further.
- Great paper handling options, with a standard paper capacity of up to 300 sheets, expandable to 1,050 sheets.

General	
Technology	Electrophotographic Laser Printer
Laser Classification	Class 1 Laser Product (IEC60825-1:2007)
Processor	800MHz -Sub:133MHz
Print Speed Standard (A4)	Up to 31 ppm (pages per minute) colour & monochrome
Print Speed 2-sided (duplex) (A4)	Up to 14 sides per minute (7 sheets per minute) colour & monochrome
Resolution	2,400dpi (2,400 x 600dpi), 600 x 600dpi
Quiet Mode	A mode to reduce the printing noise by reducing the print speed to 15 ppm
Memory	256MB
Local Interface	Hi-Speed USB 2.0 & USB Host
Wired Network Interface	Gigabit Ethernet 10Base-T/100Base-TX/1000Base-T
Wireless Network Interface	IEEE802.11b/g/n
Display	2 line, 16 character backlit display
FPOT (First Print Out Time)	Less than 15 seconds colour & monochrome from readymode
Warm-Up Time	Less than 29 seconds from sleepmode
Print Languages	PCL6, BR-Script3 (PostScript®3TM Language Emulation), PDF 1.7, XPS1.0
Embedded Fonts (PCL)	66 scalable fonts, 12 bitmap fonts, 16 barcodes
Embedded Fonts (Postscript)	66 scalable fonts
Embedded Barcodes (PCL)	Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI
Printer Driver	
Windows®	Windows 11 Windows 10® (32 & 64 bit editions) Windows 8® (32 & 64 bit editions) Windows 7® (32 & 64 bit editions) Windows® Server 2016, 2012, 2012R2 & 2008R2 Windows® Server 2008 (32 & 64 bit editions)
Macintosh ⁵	Mac OS 10.10.5, 10.11.x, 10.12.x
Linux ⁵	CUPS, LPD/LPRng (x86/x64 environment)
PostScript Universal Printer Driver	Driver for Windows® that enables you to print to any network or locally connected Brother laser printer that supports PostScript
PCL Driver	Generic PCL XLdriver
USB Host	
Direct Print	Print directly from a USB flash memory drive. The supported file formats include: PDF version1.7, JPEG, Exif+JPEG, PRN (created by own printer driver), TIFF (scanned by Brother model), XPS version 1.0
Standard Paper Handling	
Paper Input ²	Lower Tray – 250 sheets Multi Purpose Tray – 50 sheets
PaperOutput ²	Face Down - 150 sheets Face Up (Straight Paper Path) - 1 sheet

Optional Paper Handling	
Paper Input ²	250 Sheets (LT-330CL) Maximum of 3 optional trays
Media Specification	
Media Types & Weights	Standard Tray – plain, recycled, coloured and letterhead (between 60 - 105g/m ²) Multi Purpose Tray - plain, recycled, bond, coloured, letterhead and glossy ⁶ paper (between 60-163g/m ²) 2-sided (duplex) Print - plain, recycled, coloured, letterhead and glossy ⁶ paper (between 60 - 105g/m ²)
Envelope & Label Printing	Yes, from the Multi Purpose Tray: support for 10 envelopes up to 10mm total thickness
Media Sizes	Standard Tray - A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal Multi Purpose Tray - Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm 2-sided (duplex) Print - A4
Printer Functions	
N-up Printing ³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)
Poster Printing ⁴	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4pages
Watermark Printing ⁴	Watermark your documents with predefined text or with your own user-defined messages
ID Printing ⁴	Add identification to your printed documents (date & time, short custom message or PC username)
Manual 2-sided (duplex) Print ⁴	Manual 2-sided (duplex) printing (recommended for media not supported by automatic 2-sided (duplex) print)
Automatic 2-sided (duplex) Print	Print on both sides of the paper automatically
Booklet Printing ⁴	Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print
Skip BlankPage ⁴	Ignores any blank pages in your documents by not printing them
Print Profiles ³	Store your favourite driver settings as profiles to easily recall them
Mobile / Web Based Printing	
iPrint&Scan (Android)	Print directly from a smart phone or tablet running the Android Operating System
iPrint&Scan (iPad / iPhone)	Print directly from an iPad / iPhone
iPrint&Scan (Windows® Phone)	Print directly from a smart phone running the Windows® Phone Operating System
iPrint&Scan (Windows® 8, 10 & RT)	Print directly from a Windows® 8, 10 or Windows RT Tablet
Apple AirPrint	Print most common file types from any Apple AirPrint enabled application
Brother Print Service Plugin	Print from Android devices without a dedicated App

Network and Security	
Wired Network	Built in Gigabit Ethernet 10Base-T/100Base-TX/1000Base-T
Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode)
Network Protocols	TCP/IP (IPv4 and IPv6)
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTPCient
IPv6	NDP, RA, DNS resolver, mDNS, LLMNR responder,LPR/LPD, Custom Raw Port/ Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/ v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTPCient
Wired Network Security	SMTP-AUTH, SSL/TLS (PPS, HTTPS, SMTP), SNMPv3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), SMTP-AUTH, SSL/TLS (PPS, HTTPS, SMTP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)
Wireless Setup Support	Wi-Fi Protected Setup (WPS)
Wireless Applications	Vertical Pairing
Print Log ToNetwork ⁴	Records printing activities from each individual user, including network username, name of document printed and number of pages, to a file on a network
E-mail Notifications	Automatically have the device send an E-mail to a nominated E-mail address when it requires attention
E-mail Reports	Receive usage reports on a regular basis via E-mail
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 200 users
Setting Lock	Restrict access to the control panel
Secure Print ³	Protect print jobs with a 4 digit release code required at the device in order for them to be printed
Fleet Management Tools	
Unattended Installer ⁴	Ability to centrally deploy and customise our drivers and software
MSI Installer ⁴	Modular installers that can be distributed through Active Directory®
Embedded Web Server	Web based print management software embedded onto the device
BRAAdmin Professional ^{4&5}	Fleet management software
Driver Deployment Wizard ⁴	Easily create print drivers for hassle free deployment over your network
Supplies & Accessories	
Inbox Toners	Black Toner – 3,000 pages ¹ Cyan, Magenta & Yellow Toners - 1,800 pages ¹
Standard Yield Toners	Black Toner (TN-441BK) 3,000 pages ¹ Cyan Toner (TN-441C) 1,800 pages ¹ Magenta Toner (TN-441M) 1,800 pages ¹ Yellow Toner (TN-441Y) 1,800 pages ¹
High-Yield Toners	Black Toner (TN-443BK) 4,500 pages ¹ Cyan Toner (TN-443C) 4,000 pages ¹ Magenta Toner (TN-443M) 4,000 pages ¹ Yellow Toner (TN-443Y) 4,000 pages ¹
Other Supplies	Drum (DR-441CL) Approx. 50,000 pages at 3 pages per job, Approx. 30,000 pages at 1 page per job Belt (BU-330CL) Approx. 130,000 pages at 3 pages per job, Approx. 50,000 pages at 1 page per job Waste Toner Box (WT-320CL) Approx 50,000 pages
LT-330CL	Optional 250 Sheet Lower Paper Tray (Maximum of 3)
Environment	
Power Consumption	Printing - 580W, Ready - 70W, Sleep – 10.0W, Deep sleep – 1.5W, Power down - 0.03W
Sound Pressure Level	Printing – 49dbA, Quiet mode printing – 44dbA, Ready – inaudible
Sound Power	Printing – 6.56BA, Quiet mode printing – 6.0, Ready – inaudible
Power Saving	This enables the printer to consume less energy when not in use
Toner Save Mode	This reduces the toner usage and helps to reduce the total cost of printer ownership
Dimensions & Weight	
With Carton (WxDxH)	617 x 533 x 521mm(25.4kg)
Without Carton (WxDxH)	410 x 486 x 313mm(21.8kg)
Duty Cycles	
Recommended Monthly	Up to 3,000 pages monthly print volume
Maximum Monthly ⁷	Up to 40,000 pages monthly print volume

1 Approx declared yield value in accordance with ISO/IEC 19798

2 Calculated with 80g/m²paper

3 Windows® & Mac only

4 Windows® only

5 Optional download

6 Must be webconnected

7 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

8 Only a single sheet supported in the Multi PurposeTray

9 Via Airprint or iPrint&Scan

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



linkedin.com/company/brother-international-australia/



youtube.com/user/BrotherAU/videos



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com